



SINGLE

SORRENTO

TECHNICAL DATA SHEET



OUTDOOR HEATING

THAT WORKS...


FOR ROBUST COMMERCIAL USE

Discover the Sorrento Range of LOW GLARE, high powered heaters, that add elegance to any outdoor or indoor environment. Ideally used where more heat is required in larger areas. The Sorrento single can be mounted overhead providing flexibility at the time of installation and comes as standard with two wall mounting brackets.






FULL SHORTWAVE TECHNOLOGY

If you require outdoor heating then why settle for inferior, inefficient medium wave heaters? Tansun's FULL shortwave technology is the only way to heat cold spaces effectively.



WALL MOUNTED AT 45 DEGREES



| Model | Voltage (V) | Lamps x Power (kW) | Total Power (kW) | Minimum height from floor | Minimum distance from ceiling | Minimum distance from side wall | Weight without guard | Body Dimensions (W x H x D) (mm) |
|-----------|-------------|--------------------|------------------|---------------------------|-------------------------------|---------------------------------|----------------------|----------------------------------|
| SOR 215IP | 230 | 1 X 1.5 | 1.5 | 2.0m | 0.3m | 1m | 3.4kg | 402 x 227 x 323 |
| SOR 220IP | 230 | 1 X 2.0 | 2 | 2.5m | 0.3m | 1m | 3.4kg | 402 x 227 x 323 |



DOUBLE
SORRENTO
TECHNICAL DATA SHEET



DOUBLE YOUR PULLING POWER...




COMMERCIAL HEATING SOLUTION

Discover the Double version of the Sorrento, LOW GLARE, high powered heaters, that add elegance to any outdoor or indoor environment. Ideally used where more heat is required in larger areas. The Sorrento double can be mounted overhead providing flexibility at the time of installation.





FULL SHORTWAVE TECHNOLOGY

If you require outdoor heating then why settle for inferior, inefficient medium wave heaters? Tansun's FULL shortwave technology is the only way to heat cold spaces effectively.



WALL MOUNTED AT 45 DEGREES



| Model | Voltage (V) | Lamps x Power (kW) | Total Power (kW) | Minimum height from floor | Minimum distance from ceiling | Minimum distance from side wall | Weight without guard | Body Dimensions (W x H x D) (mm) |
|------------|-------------|--------------------|------------------|---------------------------|-------------------------------|---------------------------------|----------------------|----------------------------------|
| SOR 215IPD | 230 | 2 X 1.5 | 3 | 3.0m | 0.5m | 1m | 5.6kg | 790 x 227 x 323 |
| SOR 220IPD | 230 | 2 X 2.0 | 4 | 3.5m | 0.5m | 1m | 5.6kg | 790 x 227 x 323 |



TRIPLE
SORRENTO
TECHNICAL DATA SHEET



ONE HEATER

THREE TIMES THE POWER...


HIGH POWERED HEATING SOLUTION

Discover the Triple version of the Sorrento, LOW GLARE, high powered heaters, that add elegance to any outdoor or indoor environment. Ideally used where more heat is required in larger areas. The Sorrento triple can be mounted overhead providing flexibility at the time of installation.





FULL SHORTWAVE TECHNOLOGY

If you require outdoor heating then why settle for inferior, inefficient medium wave heaters? The Sorrento 4.5 and 6kW heaters offer the same quality and reliability as the best selling 2kW but with a greater output for larger areas or commercial areas.



WALL MOUNTED AT 45 DEGREES



| Model | Voltage (V) | Lamps x Power (kW) | Total Power (kW) | Minimum height from floor | Minimum distance from ceiling | Minimum distance from side wall | Weight without guard | Body Dimensions (W x H x D) (mm) |
|------------|-------------|--------------------|------------------|---------------------------|-------------------------------|---------------------------------|----------------------|----------------------------------|
| SOR 215IPT | 230 | 3 X 1.5 | 4.5 | 4.0m | 0.5m | 1m | 8.0kg | 1178 x 227 x 323 |
| SOR 220IPT | 230 | 3 X 2.0 | 6 | 4.5m | 0.5m | 1m | 8.0kg | 1178 x 227 x 323 |